

Listing of the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A bath including left and right side- upper body water outlet fittings ~~arranged positioned~~ to in use direct onto a bather sitting in the bath between said left and right side- upper body water outlet fittings and leaning back against the wall of the bath, a flow of water onto the shoulders or neck or both of the bather, from on either side of the bather behind the bather, from behind onto the upper body of a bather or bathers sitting in the bath and leaning back against the wall of the bath, one of said left and right side upper body water outlet fittings comprising ~~two spaced upper body water outlets one being~~ positioned to direct a water flow onto the ~~left side upper body~~ shoulder or neck or both of a the bather from behind and the other upper body water outlet fitting being positioned to direct a water flow onto the ~~right side upper body~~ shoulder or neck or both of the bather from behind, each fitting comprising a hollow body which is elongate in a generally horizontal axis and each fitting comprising a generally vertically extending hollow mounting neck which opens to an interior of said elongate hollow body and which extends from closer to one end of the fitting than an opposite end and enters into an aperture in the bath wall or a rim around the top of the bath wall by which the fitting is pivotally mounted about a generally vertical axis and for water supply to the fitting from within the bath and through the mounting neck to the hollow body of the fitting and configured to permit delivery onto the shoulders and/or neck of a said bather sitting in the bath, said one end of each fitting being closer to the other of said left and right-side upper body water outlet fittings than ~~another said opposite~~ end of said each fitting, ~~said elongate body of each fitting, being shaped so that at least in one~~ pivotal position of the fitting in which the angle between water flow from each fitting relative to one another is greatest, not extending beyond the body of the fitting integrates with at least one of

the bath wall or a rim section around the top of the bath wall or both into the interior of the bath,
~~and~~ said fittings being pivotally moveable about their respective generally vertically extending
hollow mounting necks from said one pivotal position ~~away from the bath wall and/or rim section~~
~~and~~ towards one another by a bather to reduce the angle between water flow from each fitting
relative to one another.

2 - 3. (Canceled)

4. (Previously Presented) A bath according to claim 1 wherein the upper body water
outlets are arranged to deliver a flow of water from each outlet which is wider than it is deep.

5 - 11. (Canceled)

12. (Withdrawn) A bath according to claim 5 wherein the upper body water outlet
fittings are formed as integral shaped molded portions of at least one of the bath wall and a rim
section around the top of the bath wall.

13. (Withdrawn) A bath according to claim 5 wherein the upper body water outlet
fittings are integral with a pillow associated with at least one of the bath wall and a rim section
around the top of the bath wall.

14. (Withdrawn) A bath according to claim 13 wherein the upper body water outlet
fittings comprise flexible side portions of said pillow.

15 - 21. (Canceled)

22. (New) A bath according to claim 1 wherein the bath includes an end wall section which is approximately concavely curved over at least a part of the height of the wall section and said left and right side upper body water outlet fittings are positioned to direct a flow of water from behind onto the shoulders or neck or both of a bather sitting in the bath leaning against the curved wall section of the bath.

23. (New) A bath according to claim 1 including a pump and water recirculation system arranged to recirculate a flow of water from the bath through said upper body water outlet fittings onto the shoulders of a bather in the bath.

24. (New) A bath according to claim 1 wherein said left and right side upper body water outlet fittings are provided on either side of a central pillow for a bather.

25. (New) A bath according to claim 1 which also includes a suction inlet from which water is drawn and a number of spa outlets or jets in the walls of the bath through which water is recirculated back into the bath.